PLEASE NOTE

This image contains more than one label approved for this product on this date.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms Clair Engelbert The Andersons, Inc P.O.BOX 119 Maumee, Ohio 43537

NOV 17 2008

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated October 23, 2008 for:

EPA Registration 9198-228 Andersons Golf Products Fertilizer Plus Fungicide VIII

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and 98-10 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader

Registration Division (7505P)

Office of Pesticide Programs

Please read instructions on	reverse before comple	ting form.		Form Ap	pro\	OMB No. 2	070-0060). Approval expires 2-28-9
\$EPA	Environmenta	Inited States I Protection ington, DC 204			✓	Registra Amendn Other		OPP Identifier Number
		Applicatio	n for Pestici	de - Sec	tion	1	······································	<u> </u>
1. Company/Product Numbe 9198-228	or .		2. EPA Walle	Product Man	ager	٠.		posed Classification
4. Company/Product (Name Andersons Golf Products		cide VIII	PM# 21					,
5. Name and Address of Ap The Andersons Lawn F d/b/a Free Flow Fertiliz PO Box 119 Maumee, OH 43537 Check if this	ertilizer Division, Ir		(b)(i), r to: EPA (ny product Reg. No uct Name	is sim	ilar or ident	NOTIFI	FIFRA Section 3(c)(3) CATION labeling
			Section -	11				
Amendment - Explain Resubmission in resp	oonse to Agency letter	dated		Final printe Agency lett "Me Too" / Other - Exp	ter dat Applica	ation.	to	
Explanation: Use addition Notification of Label change per This notification is consistent wit changes have been made to the statement to EPA. I further unde in violation of FIFRA and I may be	PR Notice 2007-4. In the guidance in PR Notice labeling or the Confidential erstand that if the amended	e 2007-4 and the r I Statement of For label is not consis	equirements of EPA's mula of this product. stent with the requirem	I understand tha nents of 40 CFR	at it is a 156.10	violation of 18 U	.S.C. Sec. 1	001 to willfully make any false
			Section - I	itt				
1. Material This Product Wil	l Be Packaged In:							
Child-Resistant Packaging Yes √ No * Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per container	Water Soluble F Yes ✓ No If "Yes" Package wgt	No. per contains	г	2. Type of 0	Metal Plastic Glass Paper Other (S	pecify)
3. Location of Net Contents	Information	4. Size(s) Reta	Container		E la	cation of Lab	Direction	
[f]	Container	4. 3126(S) Note	1-100 lbs.		J. 20	On Label	or Direction	115
6. Manner in Which Label is	Affixed to Product	✓ Lithogr ✓ Paper (Stencil	aph glued ed	√ Othe	r Po	ocket		C C C C C C
			Section - I	V				((((
1. Contact Point (Complete	items directly below f	or identification	of individual to b	e contacted,	if nece	essary, to p	ceus chis	application.)
Name Mr. Clair Richard Engelbe	rt	1	Title Product Develop	ment Techn	ician	I .	โบ เร อก one 41 _. 9 ₋ 891-2	No. (!nclude Area Code) 780
l certify that the state I acknowledge that an both under applicable	y knowlinglly false or		all attachments th			rate and con		6. Date Application Recaived (Stamped)
2. Signature	ugellest	3	B. Title Product Developm	nent Technicia	n			(((((((((((((((((((
4. Typed Name Mr. Clair Richard Engelbe	rt	5	5. Date 10/2	23/08				



The Andersons, Inc.

P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

October 23, 2008

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
US Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

RE:

Notification of Minor Label Change

SUBJECT:

Andersons Golf Products Fertilizer Plus Fungicide VIII

EPA Reg. No. 9198-228

Per PR Notice 2007-4 enclosed is EPA Form 8570-1, an application notifying the Agency of a revision to the labeling for the subject registration. A Copy of the revised labeling is enclosed with the additions underlined and marked in blue.

As consistent with the guidance in PR Notice 2007-4, "Labeling Revisions Required by the Final Rule 'Pesticide Management and Disposal; Standards for Pesticide Containers and Containment", we have added the following statements to our Storage and Disposal section: "Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available."

If there are any questions or comments regarding this notification, please contact me.

Sincerely,

The Andersons Lawn Fertilizer Division, Inc.

Clair Richard Engelbert

Product Development Technician

Phone: 419-891-2780

Fax: 419-891-2745

Email: clair_engelbert@andersonsinc.com

Enclosures

Andersons Golf Products Fertilizer Plus Fungicide VIII

Optional:

- Broad spectrum fungicide
- Broad spectrum fungicide utilizing two popular active ingredients
- Controlled release nitrogen
- Ideal for grow-ins
- Combines two synergistic active ingredients that provide both fast-acting and sustained disease control by utilizing both foliage activity and root uptake of the active ingredients
- Controls brown patch, dollar spot, red thread, pink snow mold (Microdochium nivale), leaf spot / melting out, anthracnose
- Suppresses summer patch, necrotic ring spot and Fusarium blight
- Supplies a limited feeding of controlled-release nitrogen without enhancing disease susceptibility of turf with repeat applications; see label for brown patch exception
- Choice of application rates, depending upon type and severity of infestation and degree of protection desired
- Blended small particle methylene urea fertilizer base for excellent spreadability

ACTIVE INGREDIENT:	
Thiophanate-Methyl	2.05%
Iprodione**	
INERT INGREDIENTS:	
Total	100.00%

^{*} CAS #23564-05-8

EPA Reg. No.9198-228
EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A, 67545-AZ-1G
Underlined letter is first letter used in run code on bag

NOTIFICATION

NOV 1 7 ZUU8

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements

Net Weight XX lb (XX kg) Covers up to XX,XXX sq. ft.

GUSSETS (optional, depending on back design):

Andersons Golf Products Fertilizer Plus Fungicide VIII

{product code}





^{**} CAS #36734-19-7

cccc

ceuu

ccccce

Andersons Golf Products Fertilizer plus Fungicide VIII

Guaranteed Analysis

For products being sold into Washington, Oregon and California (and as required in other states): Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-ap.com./

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION. Harmful if absorbed through the skin, causes moderate eye irritation, avoid contact with eyes, skin, or clothing.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling poison control center or doctor, or going for treatment.

Personal Protective Equipment

Loaders, applicators and other handlers must wear: Long-sleeved shirt and long pants, chemical-resistant gloves [such as Barrier Laminate, Butyl rubber, Nitrile rubber, Neoprene rubber, polyvinyl chloride, or Viton], and shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washabless use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toileto
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing.
 As soon as possible, wash thoroughly and change into clean clothing.

9198-228 Page 3 of 6

Back Panel

Environmental Hazards: This pesticide is toxic to fish and invertebrates. This chemical can contaminate surface water through aerial and ground applications. Under some conditions, it may also have a high potential for runoff into surface water after application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlaying extremely shallow ground water, areas with in-field canals or ditches that drain to surface water areas not separated from adjacent surface waters with vegetated filter strips, and areas over-laying tile drainage systems that drain surface water.

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff may be hazardous to aquatic organisms in neighboring areas. Cover, incorporate, or clean up spills. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Do not enter or allow others to enter the treated area until dusts have settled.

GENERAL INFORMATION

For use on turfgrass areas consisting of bentgrass, bluegrass, *Poa annua*, bermudagrass, St. Augustinegrass, ryegrass, fine fescue or tall fescue, or mixtures where these grasses predominate.

Controls these diseases while fertilizing turfgrasses:

red thread dollar spot brown patch pink snow mold (*Microdochium nivale*) leaf spot / melting out anthracnose

Suppression of these diseases:

summer patch necrotic ring spot Fusarium blight

APPLICATION INSTRUCTIONS

For prevention or control of dollar spot, leaf spot / melting out, red thread, pink snow mold (Microdochium nivale), and brown patch (light to moderate disease), apply at the NORMAL RATE where disease activity is expected or noted. Repeat at two to three week intervals to prevent disease through the season. For longer intervals between applications (30 days) use the DOUBLE RATE. For more uniform particle distribution at the DOUBLE RATE, use a two-pass application in an alternate pattern at the NORMAL.

For suppression of pink snow mold (*Microdochium nivale*) in areas where snow covercecturs, apply to dry foliage at the NORMAL RATE prior to the first snow and again immediately after the final snow melts in the spring. Repeat in mid-winter when turf is free of snow with non-fertilizer fungicide product. For best results, use this product in a program with other fungicides, such as Andersons Golf Products FFI, Fertilizer with 10-0-14 with PCNB and Fungicide IX.

To control severe leaf spot / melting out, dollar spot, brown patch and red thread, apply at the DOUBLE RATE every 14-30 days until the disease is brought under control, then revert back to the preventative

schedule. For more uniform particle distribution at the DOUBLE RATE, use a two-pass application in an alternate pattern at the NORMAL RATE.

For suppression of summer patch diseases, apply at the DOUBLE RATE every 30 days (beginning in late spring to early summer). For more uniform particle distribution at the DOUBLE RATE, use a two-pass application in an alternate pattern at the NORMAL RATE. Three to five applications may be necessary for season-long suppression. Water immediately after application and keep turf from becoming drought stressed by watering (1 inch) weekly. Under extreme hot weather conditions on sandy and clay soils, additional watering may be required.

To control severe brown patch infestations, use a non-fertilizer fungicide such as Andersons Golf Products Systemic Fungicide, Fungicide X, or Fungicide VII to limit the amount of fertilizer applied. This does not apply for the suppression of summer patch and red thread. Once the brown patch is controlled, prevent further infestations by following up with an Andersons Golf Products fungicide or combination fertilizer plus fungicide product.

GENERAL PRECAUTIONS AND RESTRICTIONS

Not for homeowner use. For use by individuals/firms licensed or registered by the state to apply ornamental or turf pest control products.

Use of this product at residential sites is prohibited.

Not for use on turf being grown for sale or other commercial use as sod.

Apply to moist or dry foliage. To avoid product pickup, lightly irrigate treated areas after application.

On short cut bentgrass (less than \(^3\)/4 inch) when temperatures are above 80°F, apply only to dry foliage.

Do not expose product to atmospheric moisture. For example, after application, fold down and seal top of the bag. This is particularly important under humid conditions.

Use only in clean, dry spreader. Do not leave product in spreader after application.

Except for use on golf courses, if applying this product adjacent to a water body such as a lake, reservoir, river, permanent stream, marsh or natural pond, estuary, or commercial fish pond, there must be at least a 25-foot vegetative buffer strip between the water body and the point of application.

For golf courses only, do not apply to turf cut higher than 1" on golf holes where water bodies are present.

Do not apply this product when the wind direction is toward aquatic areas.

Do not apply this product using "belly grinder" or other handheld application equipment.

Do not make more than 6 applications per year.



	Maximum Applicatio		Maximum Application	Minimum		
Use Site	Lb. ai / A (thiophanate- methyl, iprodione) Lb. ai / A Ib product / 1,000 sq. ft.		Lb. ai / A (thiophanate- methyl, iprodione)	lb product / 1,000 sq. ft.	Retreatment Interval	
Golf course Greens, Tees, and Aprons	8.16, 4.06	9.14	21.8, 10.85	24.41	14 days	
Golf Course Fairways (except FL)	_		5.45, 2.71	6.10	14 days	
Golf Course Fairways (FL only)			2.72 , 1.35	3.05	14 days	
Public areas (parks, athletic fields, schools, and day care centers)	2.72 , 1.35	3.05	10.88, 5.41	12.18	14 days	

Storage and disposal

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, clean, dry place. Reseal opened bag by folding the top down and securing. Do not store at temperatures exceeding 120°F.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: <u>Nonrefillable container</u>. <u>Do not reuse or refill this container</u>. <u>Offer for recycling, if available</u>. Completely empty bag into application equipment. Then dispose of empty bag in sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Suggested Spreader Settings

These suggested spreader settings are not intended to replace calibration.

Please calibrate your spreader before applying product.

XX lbs. treats X,XXX sq. ft. at the 66.2 lbs. product/acre - NORMAL RATE (1.52 lbs./1,000 sq. ft. rate) XX lbs. treats X,XXX sq. ft. at the 132.4 lbs. product/acre - DOUBLE RATE (3.04 lbs./1,000 sq. ft. rate)

	GROUND OR	WIDTH OF	SPREADER SETTINGS			
SPREADER	PTO SPEAD	COVERAGE	NORMAL RATE	DOUBLE RATE		
Ai / Acre (thiophanate-methyl, iprodione)			1.36, 0.675	2.71, 1.35		
Andersons AccuPro 2000, SR-2000 (cone X)	X mph	XX ft	Х	£		
Andersons AccuPro 1000	X mph	XX ft	X	Xeece		
Scotts R-8A (cone X)	X mph	XX ft	Χ	co Xecce		
Andersons SS-2 Drop	X mph	overlap wheels	X	, X γ		
Lely Models WTR, WFR, HR 1250 (PTO at 450 rpm)	X mph	XX ft	X cccc			

Note:. This list of spreaders and settings will vary dependent on market availability of spreaders. (this note will not appear on final label)

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. to the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.


LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (AP050509)

Attention: This product contains a chemical known to the state of California to cause birth defects or other reproductive harm.

Manufactured by: The Andersons Lawn Fertilizer Division, Inc. PO Box 119 Maumee, OH 43537

Date Printed	10/23/08	
Date Approved	5/9/05	
Supersedes	New	
Label Changes	Notification – Container	
Filename	9198-228.doc	
Label Code	AP050905	



NEXT

LABEL



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

NOV 17 2008

Ms. Clair Engelbert Product Registration The Andersons Lawn Fert. Div., Inc PO Box 119 Maumee, OH 43537

SUBJECT: Appli

Application for Pesticide Notification (PRN 98-10)

Request General Label Change (Warranty Statement)

EPA Reg. No. 9198-228

Application Dated October 23, 2008

Dear Registrant:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 10/23/08 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Owen F. Beeder of my staff at 703-308-8899.

Sincerely,

Cn

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Please read instructions o	n re	verse before compl.	form.			F	orm App	roved	/B No.	2070-006	O. Approval expires 2-28-95
\$EPA	1	Environmenta	Inited States I Protect ngton, DC 2	tio	•			✓	Registra Amendi Other		OPP Identifier Number
			Applicat	tior	n for Pestic	de	- Sect	ion	Į.		
1. Company/Product Number 9198-228	oer				2. EPA Walle		uct Mana	ger		3. Pi	roposed Classification None Restricted
4. Company/Product (Nam Andersons Golf Products F		zer Plus Fungicide VI	11		PM# 21						
5. Name and Address of A The Andersons Lawn PO Box 119 Maumee, OH 43537 Check if ti	Fe			Fe	rt. (b)(i), to: EPA	my pr Reg. uct N		s sim	ilar or ident	ical in co	
		· · · · · · · · · · · · · · · · · · ·			Section -	<u> </u>					
Amendment - Exploration in re Notification - Exploration: Use addition	spo in b	nse to Agency letter	,	tion	I and Section II.)	Age	al printed ency lette e Too" A er - Expl	er dat pplice	ation.	e to	
Notification of Label change potentials notification is consistent when made to the labeling or the EPA. I further understand that be in violation of FIFRA and I	ith th he co if thi	ne guidance of PR Notice onfidential statement of fo s notification is not consi	98-10 and the ormula of this p stent with the g	requorodu guida	uirements of EPA's uct. I understand tha ance of PR Notice 90 ties under sections	egulati tit is a 1-10 and 2 and	ons at 40 (violation o d the requi	f 18 U. remen	S.C. Sec. 1001	to willfully r	
					Section -						
1. Material This Product V Child-Resistant Packaging Yes No * Certification must be submitted		Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per container		Water Soluble Yes No If "Yes" Package wgt	N	ging lo. per ontainer		2. Type of	Metal Plastic Glass Paper	Specify)
3. Location of Net Content		formation ntainer	4. Size(s) F	Retai	il Container			5. Lo	On label	oel Direction	
6. Manner in Which Label			Lith Pap Ster	ogra er gl ncile	aph llued ad		Other				
					Section -	V					
1. Contact Point (Comple	te it	ems directly below f	or identifica	tion	of individual to	e con	tacted, i	f nec	essary, to pr	ocess this	application.)
Name Mr. Clair Richard Engelb	ert				Fitle Product Develo	ment	t Technic	cian		Telephon 419-891-	e လူဝ. (Inမlude Area Code) -2760
l certify that the sta l acknowledge that a both under applicabl	any	knowlingly false or		nd a	all attachments t				irate and cેન mprisonmen		6. Data Application Received ((Stamped)
2. Signature	E	nglle			. Title Product Developr	nent T	echnician			((((((((()(()
4. Typed Name Mr. Clair Richard Engelb		V		5.	. Date 10/	23/08					(((((((((((((((((((



The Andersons, Inc.

P.O. Box 119 • Maumee, Ohio 43537 • 419/893/5050

October 23, 2008

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) US Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

RE:

Notification of Minor Label Change

SUBJECT:

Andersons Golf Products Fertilizer Plus Fungicide VIII

EPA Reg. No. 9198-228

Per PR Notice 98-10 enclosed is EPA Form 8570-1, an application notifying the Agency of a revision to the labeling for the subject registration. A Copy of the revised label is enclosed with the additions underlined and marked in blue and deletions marked in red strikeout..

We are proposing to revise the warranty statement per Agency's Guidance on Warranty Statements, dated October 10, 2006.

Previous warranty:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

Revised warranty:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

If there are any questions or comments regarding this notification, please contact me.

Sincerely,

The Andersons Lawn Fertilizer Division, Inc.

Mr. Clair Richard Engelbert

Product Development Technician

Phone: 419-891-2780 Fax: 419-891-2745

Email: clair engelbert@andersonsinc.com

Enclosures

Andersons Golf Products Fertilizer Plus Fungicide VIII

Optional:

- Broad spectrum fungicide
- Broad spectrum fungicide utilizing two popular active ingredients
- Controlled release nitrogen
- Ideal for grow-ins
- Combines two synergistic active ingredients that provide both fast-acting and sustained disease control by utilizing both foliage activity and root uptake of the active ingredients
- Controls brown patch, dollar spot, red thread, pink snow mold (Microdochium nivale), leaf spot / melting out, anthracnose
- Suppresses summer patch, necrotic ring spot and Fusarium blight
- Supplies a limited feeding of controlled-release nitrogen without enhancing disease susceptibility of turf with repeat applications; see label for brown patch exception
- Choice of application rates, depending upon type and severity of infestation and degree of protection desired
- Blended small particle methylene urea fertilizer base for excellent spreadability

ACTIVE INGREDIENT:

Thiophanate-Methyl	2.05%
lprodione**	1.02%
INERT INGREDIENTS:	
Total	100 00%

^{*} CAS #23564-05-8

EPA Reg. No.9198-228
EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A, 67545-AZ-1G
Underlined letter is first letter used in run code on bag

NOTIFICATION

NOV, 1 7 2008

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements

Net Weight XX lb (XX kg) Covers up to XX,XXX sq. ft.

GUSSETS (optional, depending on back design):

Andersons Golf Products Fertilizer Plus Fungicide VIII

{product code}

^{**} CAS #36734-19-7

Andersons Golf Products Fertilizer plus Fungicide VIII

Guaranteed Analysis

Plant nutrients derived from:

For products being sold into Washington, Oregon and California (and as required in other states): Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-ap.com./

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION. Harmful if absorbed through the skin, causes moderate eye irritation, avoid contact with eyes, skin, or clothing.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling poison control center or doctor, or going for treatment.

Personal Protective Equipment

Loaders, applicators and other handlers must wear: Long-sleeved shirt and long pants, chemical-resistant gloves [such as Barrier Laminate, Butyl rubber, Nitrile rubber, Neoprene rubber, polyvinyl chloride, or Viton], and shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put ρη clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards: This pesticide is toxic to fish and invertebrates. This chemical can contaminate surface water through aerial and ground applications. Under some conditions, it may also have a high potential for runoff into surface water after application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlaying extremely shallow ground water, areas with in-field canals or ditches that drain to surface water areas not separated from adjacent surface waters with vegetated filter strips, and areas over-laying tile drainage systems that drain surface water.

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff may be hazardous to aquatic organisms in neighboring areas. Cover, incorporate, or clean up spills. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Do not enter or allow others to enter the treated area until dusts have settled.

GENERAL INFORMATION

For use on turfgrass areas consisting of bentgrass, bluegrass, *Poa annua*, bermudagrass, St. Augustinegrass, ryegrass, fine fescue or tall fescue, or mixtures where these grasses predominate.

Controls these diseases while fertilizing turfgrasses:

red thread dollar spot brown patch pink snow mold (*Microdochium nivale*) leaf spot / melting out anthracnose

Suppression of these diseases:

summer patch necrotic ring spot Fusarium blight

APPLICATION INSTRUCTIONS

For prevention or control of dollar spot, leaf spot / melting out, red thread, pink snow mold (*Microdochium nivale*), and brown patch (light to moderate disease), apply at the NORMAL RATE when disease activity is expected or noted. Repeat at two to three week intervals to prevent disease through the season. For longer intervals between applications (30 days) use the DOUBLE RATE. For more uniform particles constrained distribution at the DOUBLE RATE, use a two-pass application in an alternate pattern at the NORMAL RATE.

For suppression of pink snow mold (*Microdochium nivale*) in areas where snow cover occurs, apply to dry foliage at the NORMAL RATE prior to the first snow and again immediately after the final snow melts in the spring. Repeat in mid-winter when turf is free of snow with non-fertilizer fungicide product. For best results, use this product in a program with other fungicides, such as Andersons Golf Products FFI, Fertilizer with 10-0-14 with PCNB and Fungicide IX.

To control severe leaf spot / melting out, dollar spot, brown patch and red thread, apply at the DOUBLE RATE every 14-30 days until the disease is brought under control, then revert back to the preventative.

schedule. For more uniform particle distribution at the DOUBLE RATE, use a two-pass application in an alternate pattern at the NORMAL RATE.

For suppression of summer patch diseases, apply at the DOUBLE RATE every 30 days (beginning in late spring to early summer). For more uniform particle distribution at the DOUBLE RATE, use a two-pass application in an alternate pattern at the NORMAL RATE. Three to five applications may be necessary for season-long suppression. Water immediately after application and keep turf from becoming drought stressed by watering (1 inch) weekly. Under extreme hot weather conditions on sandy and clay soils, additional watering may be required.

To control severe brown patch infestations, use a non-fertilizer fungicide such as Andersons Golf Products Systemic Fungicide, Fungicide X, or Fungicide VII to limit the amount of fertilizer applied. This does not apply for the suppression of summer patch and red thread. Once the brown patch is controlled, prevent further infestations by following up with an Andersons Golf Products fungicide or combination fertilizer plus fungicide product.

GENERAL PRECAUTIONS AND RESTRICTIONS

Not for homeowner use. For use by individuals/firms licensed or registered by the state to apply ornamental or turf pest control products.

Use of this product at residential sites is prohibited.

Not for use on turf being grown for sale or other commercial use as sod.

Apply to moist or dry foliage. To avoid product pickup, lightly irrigate treated areas after application.

On short cut bentgrass (less than ¾ inch) when temperatures are above 80°F, apply only to dry foliage.

Do not expose product to atmospheric moisture. For example, after application, fold down and seal top of the bag. This is particularly important under humid conditions.

Use only in clean, dry spreader. Do not leave product in spreader after application.

Except for use on golf courses, if applying this product adjacent to a water body such as a lake, reservoir, river, permanent stream, marsh or natural pond, estuary, or commercial fish pond, there must be at least a 25-foot vegetative buffer strip between the water body and the point of application.

For golf courses only, do not apply to turf cut higher than 1" on golf holes where water bodies are present.

Do not apply this product when the wind direction is toward aquatic areas.

Do not apply this product using "belly grinder" or other handheld application equipment.

Do not make more than 6 applications per year.



	Maximum Applicatio		Maximum Applicatio	Minimum		
Use Site	Lb. ai / A (thiophanate- methyl, iprodione) lb product / 1,000 sq. ft.		Lb. ai / A (thiophanate- methyl, iprodione)	lb product / 1,000 sq. ft.	Retreatment Interval	
Golf course Greens, Tees, and Aprons	8.16, 4.06	9.14	21.8, 10.85	24.41	14 days	
Golf Course Fairways (except FL)			5.45, 2.71	6.10	14 days	
Golf Course Fairways (FL only)			2.72 , 1.35	3.05	14 days	
Public areas (parks, athletic fields, schools, and day care centers)	2.72 , 1.35	3.05	10.88, 5.41	12.18	14 days	

Storage and disposal

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, clean, dry place. Reseal opened bag by folding the top down and securing. Do not store at temperatures exceeding 120°F.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Suggested Spreader Settings

These suggested spreader settings are not intended to replace calibration. Please calibrate your spreader before applying product.

XX lbs. treats X,XXX sq. ft. at the 66.2 lbs. product/acre - NORMAL RATE (1.52 lbs./1,000 sq. ft. rate) XX lbs. treats X,XXX sq. ft. at the 132.4 lbs. product/acre - DOUBLE RATE (3.04 lbs./1,000 sq. ft. rate)

00054050	GROUND OR	WIDTH OF	SPREADER SETTINGS		
SPREADER	PTO SPEAD	COVERAGE	NORMAL RATE	DOUBLE RATE	
Ai / Acre (thiophanate-methyl, iprodione)	1.36, 0.675	2.71, 1.35			
Andersons AccuPro 2000, SR-2000 (cone X)	X mph	XX ft	Х	X	
Andersons AccuPro 1000	X mph	XX ft	X	X	
Scotts R-8A (cone X)	X mph	XX ft	Х	X	
Andersons SS-2 Drop	X mph	overlap wheels	Х	Х	
Lely Models WTR, WFR, HR 1250 (PTO at 450 rpm)	X mph	XX ft	Х	X	

Note:. This list of spreaders and settings will vary dependent on market availability of spreaders. (this note will not appear on line)

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible to the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. to the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION. (AP050509)

Attention: This product contains a chemical known to the state of California to cause birth defects or other reproductive harm.

Manufactured by:
The Andersons Lawn Fe

The Andersons Lawn Fertilizer Division, Inc.

PO Box 119

Maumee, OH 43537

Date Printed	10/23/08		
Date Approved	5/9/05		
Supersedes	New		
Label Changes	Notification - Warranty	 	
Filename	9198-228.doc	 	
Label Code	AP050905		

